

000 "ЭДС" (495) 979-59-00 (901) 519-59-00 eds@eds-privod.ru





## Таблица подбора

	n <sub>1</sub> = 1400			ZF				ZA	
Z	in	ir	n <sub>2</sub>	T <sub>2</sub>	P1	FS'	IEC	T <sub>2M</sub>	Р
_			rpm	Nm	kW			Nm	kW
	10	10.20	137	119	1.8	4.3		510	7.7
	12.5	12.98	108	151	1.8	3.8		570	6.8
	16	15.56	90	181	1.8	3.5		630	6.3
80B	20	20.36	69	238	1.8	2.9	71 80 90	700	5.3
	25	24.40	57	285	1.8	2.5		700	4.4
	31.5	31.05	45	362	1.8	1.7		630	3.1
	40	37.21	38	434	1.8	1.3		560	2.3
	50	48.12	29	468	1.5	1.1		520	1.7
	63	62.23	22	444	1.1	1.2		520	1.3
	50	52.51	27	600	1.8	1.1		660	2.0
	63	62.91	22	599	1.5	1.1		680	1.7
80C	80	80.08	17	559	1.1	1.3	63 71 80 90	710	1.4
	100	105.52	13	736	1.1	1.0		740	1.1
	125	126.43	11	740	0.9	1.0		740	0.90
	160	160.91	9	561	0.55	1.2		680	0.70
	200	208.11	7	700	0.55	1.0		700	0.55
	250	249.36	6	585	0.37	1.2		720	0.48
100B	10	10.20	137	364	5.5	2.9		1050	15.9
	12.5	12.98	108	462	5.5	2.5	71 80 90 100 112	1150	13.7
	16	15.56	90	554	5.5	2.3		1280	12.7
	20	20.36	69	723	5.5	2		1420	10.8
	25	24.40	57	875	5.5	1.6		1420	9.0
	31.5	31.05	45	1110 965	5.5	1.2		1290	6.4
	40	37.21	38		3	1.3		1220	5.1
	50 63	48.12 62.23	29 22	936 887	2.2	1.1		1060 1060	3.4 2.6
	50	51.93	27	593	1.8	2.2		1300	4.0
	63	62.22	23	710	1.8	1.9	71 80 90	1350	3.4
100C	80	79.19	18	904	1.8	1.6		1410	2.8
	100	103.67	14	1184	1.8	1.2		1470	2.2
	125	124.22	11	1418	1.8	1.0		1480	1.9
	160	158.10	9	1103	1.1	1.2		1360	1.4
	200	204.46	7	1400	1.1	1.0		1400	1.1
	250	244.99	6	1399	0.9	1.0		1440	0.9
	10	10.20	137	608	9.2	3.5		2100	31.8
125B	12.5	12.98	108	774	9.2	3.0	80 90 100 112 132	2300	27.3
	16	15.56	90	927	9.2	2.7		2500	24.8
	20	20.36	69	1214	9.2	2.3		2850	21.6
	25	24.40	57	1455	9.2	2.0		2850	18.0
	31.5	31.05	45	1851	9.2	1.4		2550	12.7
	40	37.21	38	2218	9.2	1.1		2350	9.8
	50	48.12	29	2250	7.5	1.0		2250	7.5
	63	62.23	22	2218	5.5	1.0		2250	5.6
125C	50	51.93	27	1810	5.5	1.5	71 80 90	2650	8.0
	63	62.22	23	2124	5.5	1.3		2760	7.0
	80	79.19	18	2714	5.5	1.0		2880	5.7
	100	103.67	14	2631	4	1.1		3000	4.6
	125	124.22	11	2364	3	1.3	100	3000	3.8
	160	158.10	9	2206	2.2	1.2	112	2720	2.7
	200	204.46	7	2800	2.2	1.0		2800	2.2
	250	244.99	6	2798	1.8	1.0		2880	1.9

подбора										
	n <sub>1</sub> = 1400			ZF				ZA		
Z	in	ir	n <sub>2</sub>	T <sub>2</sub>	P1	FS'	IEC	T <sub>2M</sub>	Р	
			rpm	Nm	kW			Nm	kW	
160B	10	10.20	137	1454	22	2.8	90 100 112 132 160 180	4000	60.5	
	12.5	12.98	108	1851	22	2.4		4500	53.5	
	16	15.56	90	2218	22	2.2		4900	48.6	
	20	20.36	69	2903	22	1.9		5500	41.7	
	25	24.40	57	3479	22	1.6		5500	34.8	
	31.5	31.05	45	4427	22	1.2		5200	25.8	
	40	37.21	38	4461	18.5	1.1		4700	19.5	
	50	48.12	29	3430	11	1.3		4300	13.8	
	63	62.23	22	4300	11	1.0		4300	11.0	
160C	50	51.93	27	3031	9.2	1.7	80 90 100 112 132	5130	15.6	
	63	62.22	23	3631	9.2	1.5		5350	13.6	
	80	79.19	18	4622	9.2	1.2		5570	11.1	
	100	103.67	14	5800	9.2	1.0		5800	9.2	
	125	124.22	11	5800	7.5	1.0		5800	7.5	
	160	158.10	9	5470	5.5	1.0		5470	5.5	
	200	204.46	7	5188	3	1.1		5600 5760	4.3	
	250	244.99	6	4663	_	_		_	3.7	
180B	8	8.10	173	1155	22	4.4	80 90 100 112 132 160 180	5100	97.2 84.0	
	10	10.38	135	1480	22	3.8		5650 6200		
	12.5 16	12.54	112	1787	22	3.5 2.9		6750	76.3 64.4	
	20	16.17 20.73	87 68	2305 2955	22 22	2.5		7300	54.4	
	25	25.03	56	3569	22	2.1		7450	45.9	
	31.5	31.05	45	4427	22	1.7		7550	37.5	
	40	35.07	40	5000	22	1.5		7550	33.2	
	50	52.85	26	3085	9.2	2.4	80 90 100 112 132	7530	22.3	
180C	63	63.33	22	3696	9.2	2.0		7560	18.8	
	80	76.48	18	4464	9.2	1.7		7700	15.9	
	100	94.89	15	5538	9.2	1.4		7650	12.7	
	125	127.43	11	7437	9.2	1.0		7680	9.6	
	160	158.10	9	7265	7.5	1.1		7830	8.1	
	200	197.46	7	6890	5.5	1.1		7870	6.3	
	250	244.99	6	7960	5.5	1.0		7960	5.5	
200B	8	8.33	168	1619	30	4.6	132 160 180 200	7500	139	
	10	10.00	140	1945	30	4.2		8200	127	
	12.5	12.29	114	2389	30	3.8		9000	113	
	16	16.63	84	3233	30	3.0		9800	90.9	
	20	19.97	70	3883	30	2.7		10600	81.9	
	25	24.53	57	4769	30	2.3		11000		
	31.5	30.04	47	5839	30	1.8		10700		
200C	40	42.41	33	5919	22	1.8	100 112 132 160 180	10900	40.5	
	50	50.93	27	7108	22	1.5		11000	34.1	
	63	62.55	22	8730	22	1.3		11350	28.6	
	80	76.59	18	10690	22	1.0		11050	22.7	
	100	101.68	14	11200	18.5	1.0		11200	18.5	
	125	124.87	11 9	11500 10671	15 11	1.0		11500	15.0	
	160	152.91	a	100/1	1.1	1.0		11200	11.6	

Verifica termica necessaria / Thermal rating needed / Thermische - Prüfung erforderlich







